



Calhoun: The NPS Institutional Archive
DSpace Repository

Reports and Technical Reports

All Technical Reports Collection

1985-12

Hydrographic data from the OPTOMA program: OPTOMA18, 31 October and 2 November 1985

Wittmann, Paul A.; Colton, Marie C.; Rendine, John J.;
Mooers, Christopher N.K.

Monterey, California. Naval Postgraduate School

<http://hdl.handle.net/10945/66315>

This publication is a work of the U.S. Government as defined in Title 17, United States Code, Section 101. As such, it is in the public domain, and under the provisions of Title 17, United States Code, Section 105, it may not be copyrighted.

Downloaded from NPS Archive: Calhoun



Calhoun is the Naval Postgraduate School's public access digital repository for research materials and institutional publications created by the NPS community. Calhoun is named for Professor of Mathematics Guy K. Calhoun, NPS's first appointed -- and published -- scholarly author.

Dudley Knox Library / Naval Postgraduate School
411 Dyer Road / 1 University Circle
Monterey, California USA 93943

<http://www.nps.edu/library>

AD-A163 429 HYDROGRAPHIC DATA FROM THE OPTOMA PROGRAM OPTOMA18 31 1/1
OCTOBER AND 2 NOVEMBER 1985(U) NAVAL POSTGRADUATE
SCHOOL MONTEREY CA P A WITTMANN ET AL. 17 DEC 85

1/1


NPS-68-86-001

F/G 8/10

NL

UNCLASSIFIED

[illegible]



NATIONAL BUREAU OF STANDARDS
MICROCOPY RESOLUTION TEST CHART

2

NPS 68-3C-001

NAVAL POSTGRADUATE SCHOOL

Monterey, California



DTIC
ELECTE
JAN 28 1986
S D

AD-A163 429

DTIC FILE COPY

HYDROGRAPHIC DATA FROM THE OPTOMA PROGRAM
OPTOMA18

31 October and 2 November 1985

by

Paul A. Wittmann
Marie C. Colton
John J. Rendine
Christopher N.K. Mooers

December 1985

Approved for public release; distribution unlimited.

Prepared for:
Office of Naval Research
Environmental Sciences Directorate (Code 1122)
Arlington, VA 22217

86 1 27 149

NAVAL POSTGRADUATE SCHOOL


Monterey, California 93943


RADM R.H. Shumaker
Superintendent

David A. Schrady
Provost


This report is for the research project "Ocean Prediction Through Observation, Modeling and Analysis" sponsored by the Physical Oceanography Program of the Office of Naval Research under Program Element 61153N. Reproduction of all or part of this report is authorized.

This report was prepared by:



PAUL A. WITTMANN
Oceanographer


MARIE C. COLTON
Oceanographer/Engineer, NEPRF



LT JOHN J. RENDINE, USN


CHRISTOPHER N.K. MOERS
Professor and Chairman,
Department of Oceanography

Reviewed by:


CHRISTOPHER N.K. MOERS Chairman
Department of Oceanography

Released by:


JOHN N. DYER
Dean of Science and Engineering

NPS 68-86-001

| | | | | |
|--|-------|---|---|---|
| 6a. NAME OF PERFORMING ORGANIZATION NAVPGSCOL Dept. of Oceanography | | 6b. OFFICE SYMBOL (if applicable) 68 | 7a. NAME OF MONITORING ORGANIZATION | |
| 6c. ADDRESS (City, State, and ZIP Code) Monterey, California 93943-5008 | | | 7b. ADDRESS (City, State, and ZIP Code) | |
| 8a. NAME OF FUNDING / SPONSORING ORGANIZATION Office of Naval Research | | 8b. OFFICE SYMBOL (if applicable) (1120 PO) | 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N000146WR24027 | |
| 8c. ADDRESS (City, State, and ZIP Code) Arlington, VA 22217 | | | 10. SOURCE OF FUNDING NUMBERS | |
| | | | PROGRAM ELEMENT NO. 61153N | PROJECT NO. RR0310306 |
| 11. TITLE (Include Security Classification) Hydrographic Data from the OPTOMA Program, OPTOMA18, 31 October and 2 November 1985; Approved for public release; distribution unlimited. | | | | |
| 12. PERSONAL AUTHOR(S) Paul A. Wittmann, Marie C. Colton, LT John J. Rendine, USN, Christopher N.K. Mooers | | | | |
| 13a. TYPE OF REPORT Progress | | 13b. TIME COVERED FROM Oct 85 to Jan 86 | | 14. DATE OF REPORT (Year, Month, Day) 85 December 17 |
| 15. PAGE COUNT 48 | | | | |
| 16. SUPPLEMENTARY NOTATION | | | | |
| 17. COSATI CODES | | | 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) | |
| FIELD | GROUP | SUB-GROUP | California Current System | |
| | | | Physical Oceanography | |
| | | | Dynamic Oceanography | |
| 19. ABSTRACT (Continue on reverse if necessary and identify by block number) Two P3 flights comprising OPTOMA18 were undertaken on 31 October and 2 November 1985 to sample a subdomain of the California Current System. This report presents the hydrographic data, acquired by AXBT deployments, from the flights. | | | | |
| 20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> OTIC USERS | | | 21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED | |
| 22a. NAME OF RESPONSIBLE INDIVIDUAL Paul A. Wittmann | | | 22b. TELEPHONE (Include Area Code) (408) 646-3350 | 22c. OFFICE SYMBOL 68 |

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted
All other editions are obsoleteSECURITY CLASSIFICATION OF THIS PAGE
UNCLASSIFIED

Hydrographic Data from the OPTOMA Program:

OPTOMA18

31 October and 2 November, 1985

by

Paul A. Wittmann

Marie C. Colton

John J. Rendine

Christopher N. K. Mooers

| | |
|--------------------|----------------------|
| Accession For | |
| NTIS | CRA&I |
| DTIC | TAB |
| U.announced | Justification |
| By | |
| Distribution / | |
| Availability Codes | |
| Dist | Avail and/or Special |
| A-1 | |



The **OPTOMA** Program is a joint program of

Department of Oceanography
Naval Postgraduate School
Monterey, CA 93943.

Center for Earth and Planetary Physics
Harvard University
Cambridge, MA 02138.

TABLE OF CONTENTS

| | <u>PAGE</u> |
|---------------------------|-------------|
| LIST OF TABLES | 3 |
| LIST OF FIGURES | 4 |
| INTRODUCTION | 6 |
| DATA ACQUISITION | 6 |
| DATA PROCESSING | 7 |
| DATA PRESENTATION | 7 |
| SECTION 1: FLIGHT I | 8 |
| SECTION 2: FLIGHT II | 26 |
| ACKNOWLEDGEMENTS | 43 |
| REFERENCES | 43 |
| INITIAL DISTRIBUTION LIST | 44 |

LIST OF TABLES

| <u>Table No.</u> | <u>Caption</u> | <u>Page</u> |
|------------------|---------------------------|-------------|
| 1. | Flight I Station Listing | 12 |
| 2. | Flight II Station Listing | 30 |

LIST OF FIGURES

| <u>Figure No.</u> | <u>Caption</u> | <u>Page</u> |
|-------------------|--|-------------|
| 1. | The NOCAL and CENCAL subdomains of the OPTOMA Program. Isobaths are shown in meters. | 5 |
| 2. | The flight track for OPTOMA18 Flight I. | 9 |
| 3. | AXBT station locations for OPTOMA18 Flight I. | 10 |
| 4. | Station numbers for OPTOMA18 Flight I. | 11 |
| 5. (a)-(e). | Temperature profiles staggered by multiples of 5C (OPTOMA18 Flight I). | 14 |
| 6. (a)-(f). | Along-track isotherms. Tick marks along the upper horizontal axis show station positions. Some station numbers are given. Dashed lines are used if the cast was too shallow. (OPTOMA18 Flight I). | 19 |
| 7. | Mean temperature profiles, with + and - the standard deviations, from OPTOMA18 Flight I. | 25 |
| 8. | The flight track for OPTOMA18 Flight II. | 27 |
| 9. | AXBT station locations for OPTOMA18 Flight II. | 28 |
| 10. | Station numbers for OPTOMA18 Flight II. | 29 |
| 11. (a)-(d). | Temperature profiles staggered by multiples of 5C (OPTOMA18 Flight II). | 32 |
| 12. (a)-(f). | Along-track isotherms. Tick marks along the upper horizontal axis show station positions. Some station numbers are given. Dashed lines are used if the cast was too shallow. (OPTOMA18 Flight II). | 36 |
| 13. | Mean temperature profiles, with + and - the standard deviations, from OPTOMA18 Flight II. | 42 |




Figure 1: The NOCAL and CENCAL subdomains of the OPTOMA Program. Isobaths are shown in meters.

INTRODUCTION

→ The OPTOMA (Ocean Prediction Through Observation, Modeling and Analysis) Program, a joint NPS/Harvard program sponsored by ONR, seeks to understand the mesoscale (fronts, eddies, and jets) variability and dynamics of the California Current System and to determine the scientific limits to practical mesoscale ocean forecasting. To help carry out the aims of this project, a series of cruises and P3 flights has been planned in two subdomains, NOCAL and CENCAL, shown in Figure 1.

OPTOMA 18 Flight I was conducted by Patron Forty-six, COMPATWING TEN on 31 October 1985 in the CENCAL domain and Flight II was conducted by Patron Ninety-one, COMRESPATWINGSPAC on 2 November 1985 in the NOCAL domain.

Bathythermographic data were acquired along the tracks shown in figures 2 and 8. The total areal coverage was roughly 530 km alongshore by 260 km cross-shore. Nominal station spacing was about 30 km along-track.

DATA ACQUISITION

Shallow (300m) and deep (700m) AXBT's were deployed from a Navy P3 aircraft during both flights. The aircraft maintained an altitude between 500 and 800 ft, depending on the low level visibility, and an airspeed of 200 knots. Close station spacing (30km) was achieved by alternately dropping Channel 14 and 16 AXBTs. The data were recorded onboard on audio tapes using a stereo tape recorder. Analog traces were also produced using two lofargram recorders which operated on UHF channels 14 and 16. The shallow AXBTs were digitized onboard the aircraft using a Sippican 1K9 digitizer. The deep AXBTs were digitized after the flights, at NPS. A complete description of the data acquisition is given in Colton and Mooers (1985).

Station positions were obtained from the aircraft's Inertial Navigation System with hourly updates by TACAN (Tactical Air Navigation); accuracy of

position is within 2.0 km. The thermistor of the Sippican AXBT has an accuracy of $\pm 0.18^\circ\text{C}$ in temperature and $\pm 2\%$ or 5m (whichever is greater) in depth.

DATA PROCESSING

Temperatures were computed from the received frequencies according to Sippican (1983). Depths were computed empirically from the descent rate of the AXBT (Bane and Sessions, 1984). The temperature/depth profiles were then edited for erroneous data points, mainly due to RF noise. From the Flight I data set, approximately 86% of casts were retained; of these, 39 were from deep and 39 from shallow AXBT's. From the Flight II data set, approximately 87% of of casts were retained; of these, 40 were from deep and 39 from shallow AXBT's. The data have been transferred on digital tape to the National Oceanographic Data Center in Washington, D.C.

DATA PRESENTATION

The flight track, station locations and station numbers are shown in the first three figures of Sections I and II. These figures are followed by a listing of the stations, with their coordinates, and the date and time at which each station was occupied.

Vertical temperature profiles from the AXBT casts are shown in staggered fashion. The location of these profiles may be found by reference to the various maps of the flight track. Transect extremes are identified as nearly as possible. The first profile on each plot is shown with its temperature unchanged; an appropriate multiple of 5°C has been added to each subsequent profile.

Isotherms along each transect are shown in the next pages. Transect extremes are identified. Based on instrument accuracy and the vertical temperature gradient, it is estimated that depths of isotherms in the main thermocline are uncertain to $\pm 20\text{m}$.

The data presentation concludes with plots of mean temperature profiles, with + and - the standard deviations.

SECTION I
OPTOMA 18 FLIGHT I
OCTOBER 31, 1985




Figure 2. The flight track for OPTOMA18 Flight I.




Figure 3. AXBT station locations for OPTOMA18 Flight I.




Figure 4. Station numbers for OPTOMA18 Flight I.

Table 1: Flight I Station Listing

| STN | TYPE | YR/DAY | GMT | LAT (NORTH) (DD.MM) | LONG (WEST) (DDD.MM) | SURFACE TEMP (DEG C) |
|-----|------|--------|------|---------------------------|----------------------------|----------------------------|
| 1 | AXBT | 85304 | 1622 | 37.49 | 123.48 | 12.3 |
| 2 | AXBT | 85304 | 1631 | 37.21 | 123.31 | 11.6 |
| 3 | AXBT | 85304 | 1638 | 36.54 | 123.15 | 12.9 |
| 4 | AXBT | 85304 | 1639 | 36.41 | 123.07 | 13.7 |
| 5 | AXBT | 85304 | 1620 | 36.27 | 122.59 | 13.7 |
| 6 | AXBT | 85304 | 1649 | 36.14 | 122.51 | 14.3 |
| 7 | AXBT | 85304 | 1704 | 35.33 | 123.12 | 14.8 |
| 8 | AXBT | 85304 | 1712 | 35.27 | 123.29 | 14.5 |
| 9 | AXBT | 85304 | 1717 | 35.20 | 123.45 | 14.6 |
| 10 | AXBT | 85304 | 1721 | 35.14 | 124.02 | 15.0 |
| 11 | AXBT | 85304 | 1725 | 35.07 | 124.18 | 15.8 |
| 12 | AXBT | 85304 | 1730 | 35.01 | 124.35 | 16.0 |
| 13 | AXBT | 85304 | 1734 | 34.55 | 124.51 | 16.0 |
| 14 | AXBT | 85304 | 1742 | 35.02 | 125.18 | 14.9 |
| 15 | AXBT | 85304 | 1743 | 35.16 | 125.25 | 15.4 |
| 16 | AXBT | 85304 | 1751 | 35.30 | 125.33 | 15.6 |
| 17 | AXBT | 85304 | 1800 | 35.57 | 125.48 | 16.2 |
| 18 | AXBT | 85304 | 1801 | 36.10 | 125.56 | 16.0 |
| 19 | AXBT | 85304 | 1809 | 36.24 | 126.04 | 16.5 |
| 20 | AXBT | 85304 | 1810 | 36.38 | 126.12 | 16.0 |
| 21 | AXBT | 85304 | 1818 | 36.52 | 126.21 | 15.4 |
| 22 | AXBT | 85304 | 1821 | 36.58 | 126.04 | 15.1 |
| 23 | AXBT | 85304 | 1827 | 37.05 | 125.47 | 14.8 |
| 24 | AXBT | 85304 | 1836 | 37.11 | 125.30 | 14.3 |
| 25 | AXBT | 85304 | 1843 | 37.18 | 125.13 | 13.9 |
| 26 | AXBT | 85304 | 1844 | 37.24 | 124.56 | 13.9 |
| 27 | AXBT | 85304 | 1852 | 37.30 | 124.39 | 13.6 |
| 28 | AXBT | 85304 | 1856 | 37.37 | 124.22 | 13.8 |
| 29 | AXBT | 85304 | 1900 | 37.43 | 124.05 | 11.6 |
| 30 | AXBT | 85304 | 1902 | 37.29 | 123.56 | 11.8 |
| 31 | AXBT | 85304 | 1909 | 37.15 | 123.48 | 12.5 |
| 32 | AXBT | 85304 | 1917 | 36.48 | 123.32 | 13.2 |
| 33 | AXBT | 85304 | 1918 | 36.35 | 123.23 | 14.7 |
| 34 | AXBT | 85304 | 1925 | 36.21 | 123.15 | 15.1 |
| 35 | AXBT | 85304 | 1928 | 36.08 | 123.07 | 14.9 |
| 36 | AXBT | 85304 | 1932 | 35.55 | 123.01 | 14.6 |
| 37 | AXBT | 85304 | 1934 | 35.48 | 123.18 | 15.5 |
| 38 | AXBT | 85304 | 1942 | 35.41 | 123.35 | 15.7 |
| 39 | AXBT | 85304 | 1943 | 35.35 | 123.52 | 15.2 |
| 40 | AXBT | 85304 | 1951 | 35.21 | 124.25 | 14.6 |
| 41 | AXBT | 85304 | 1953 | 35.15 | 124.41 | 15.3 |
| 42 | AXBT | 85304 | 2001 | 35.08 | 125.00 | 15.7 |
| 43 | AXBT | 85304 | 2010 | 35.22 | 125.07 | 15.3 |
| 44 | AXBT | 85304 | 2011 | 35.37 | 125.15 | 15.2 |
| 45 | AXBT | 85304 | 2019 | 35.49 | 125.23 | 15.5 |

| STN | TYPE | YR/DAY | GMT | LAT (NORTH) (DD.MM) | LONG (WEST) (DDD.MM) | SURFACE TEMP (DEG C) |
|-----|------|--------|------|---------------------------|----------------------------|----------------------------|
| 46 | AXBT | 85304 | 2023 | 36.03 | 125.31 | 16.1 |
| 47 | AXBT | 85304 | 2028 | 36.17 | 125.38 | 16.1 |
| 48 | AXBT | 85304 | 2029 | 36.31 | 125.46 | 16.3 |
| 49 | AXBT | 85304 | 2037 | 36.45 | 125.56 | 15.8 |
| 50 | AXBT | 85304 | 2038 | 36.49 | 125.39 | 15.8 |
| 51 | AXBT | 85304 | 2046 | 36.56 | 125.22 | 14.4 |
| 52 | AXBT | 85304 | 2047 | 37.03 | 125.07 | 13.5 |
| 53 | AXBT | 85304 | 2055 | 37.09 | 124.48 | 13.1 |
| 54 | AXBT | 85304 | 2057 | 37.16 | 124.31 | 12.8 |
| 55 | AXBT | 85304 | 2104 | 37.23 | 124.15 | 11.4 |
| 56 | AXBT | 85304 | 2105 | 37.09 | 124.05 | 13.7 |
| 57 | AXBT | 85304 | 2113 | 36.55 | 123.57 | 14.0 |
| 58 | AXBT | 85304 | 2117 | 36.41 | 123.49 | 14.9 |
| 59 | AXBT | 85304 | 2121 | 36.28 | 123.41 | 15.3 |
| 60 | AXBT | 85304 | 2125 | 36.14 | 123.33 | 15.7 |
| 61 | AXBT | 85304 | 2129 | 36.02 | 123.27 | 15.8 |
| 62 | AXBT | 85304 | 2130 | 35.55 | 123.43 | 16.0 |
| 63 | AXBT | 85304 | 2141 | 35.42 | 124.17 | 15.5 |
| 64 | AXBT | 85304 | 2147 | 35.36 | 124.33 | 15.3 |
| 65 | AXBT | 85304 | 2149 | 35.30 | 124.51 | 14.8 |
| 66 | AXBT | 85304 | 2156 | 35.42 | 124.58 | 15.7 |
| 67 | AXBT | 85304 | 2157 | 35.55 | 125.06 | 15.7 |
| 68 | AXBT | 85304 | 2205 | 36.09 | 125.13 | 16.4 |
| 69 | AXBT | 85304 | 2206 | 36.23 | 125.21 | 15.8 |
| 70 | AXBT | 85304 | 2215 | 36.37 | 125.31 | 16.7 |
| 71 | AXBT | 85304 | 2216 | 36.44 | 125.14 | 14.8 |
| 72 | AXBT | 85304 | 2225 | 36.50 | 124.57 | 13.3 |
| 73 | AXBT | 85304 | 2228 | 36.57 | 124.40 | 14.1 |
| 74 | AXBT | 85304 | 2233 | 37.04 | 124.24 | 14.9 |
| 75 | AXBT | 85304 | 2235 | 36.33 | 124.15 | 15.8 |
| 76 | AXBT | 85304 | 2250 | 36.05 | 124.09 | 15.4 |
| 77 | AXBT | 85304 | 2252 | 36.02 | 124.27 | 15.9 |
| 78 | AXBT | 85304 | 2310 | 36.34 | 124.44 | 15.8 |




Figure 5 (a). Temperature profiles staggered by multiples of 5C (OPTOMA18 Flight 1).




Figure 5 (b).




Figure 5 (c).




Figure 5 (d).




Figure 5 (e).





Figure 6 (a). Along-track isotherms. Tick marks along the upper horizontal axis show station positions. Some station numbers are given. Dashed lines are used if the cast was too shallow (OPTOMA18 Flight I).





Figure 6 (b).




Figure 6 (c).





Figure 6 (d).





Figure 6 (e).





Figure 6 (f).




Figure 7. Mean temperature profile, with + and - the standard deviations, from OPTOMA18 Flight I.

SECTION 2
OPTOMA 18 FLIGHT II
NOVEMBER 2, 1985




Figure 8. The flight track for OPTOMA18 Flight II.




Figure 9. AXBT station locations for OPTOMA18 Flight II.




Figure 10. Station numbers for OPTOMA18 Flight II.

Table 2: Flight II Station Listing

| STN | TYPE | YR/DAY | GMT | LAT (NORTH) (DD.MM) | LONG (WEST) (DDD.MM) | SURFACE TEMP (DEG C) |
|-----|------|--------|------|---------------------------|----------------------------|----------------------------|
| 1 | AXBT | 85306 | 1812 | 38.03 | 123.56 | 12.8 |
| 2 | AXBT | 85306 | 1814 | 37.54 | 124.13 | 13.1 |
| 3 | AXBT | 85306 | 1821 | 37.48 | 124.30 | 13.0 |
| 4 | AXBT | 85306 | 1826 | 37.41 | 124.49 | 14.3 |
| 5 | AXBT | 85306 | 1830 | 37.35 | 125.07 | 13.8 |
| 6 | AXBT | 85306 | 1832 | 37.28 | 125.24 | 14.5 |
| 7 | AXBT | 85306 | 1839 | 37.18 | 125.39 | 14.3 |
| 8 | AXBT | 85306 | 1841 | 37.15 | 126.00 | 14.7 |
| 9 | AXBT | 85306 | 1848 | 37.08 | 126.16 | 15.3 |
| 10 | AXBT | 85306 | 1852 | 37.18 | 126.39 | 15.9 |
| 11 | AXBT | 85306 | 1901 | 37.32 | 126.47 | 15.8 |
| 12 | AXBT | 85306 | 1903 | 37.47 | 126.55 | 16.2 |
| 13 | AXBT | 85306 | 1912 | 38.02 | 127.03 | 15.9 |
| 14 | AXBT | 85306 | 1913 | 38.14 | 127.11 | 15.2 |
| 15 | AXBT | 85306 | 1922 | 38.29 | 127.19 | 14.8 |
| 16 | AXBT | 85306 | 1923 | 38.43 | 127.26 | 14.7 |
| 17 | AXBT | 85306 | 1939 | 39.13 | 127.22 | 16.2 |
| 18 | AXBT | 85306 | 1949 | 39.27 | 126.41 | 13.8 |
| 19 | AXBT | 85306 | 1956 | 39.34 | 126.23 | 13.4 |
| 20 | AXBT | 85306 | 1957 | 39.42 | 126.02 | 13.4 |
| 21 | AXBT | 85306 | 2005 | 39.49 | 125.43 | 13.6 |
| 22 | AXBT | 85306 | 2009 | 39.56 | 125.24 | 12.8 |
| 23 | AXBT | 85306 | 2014 | 40.02 | 125.08 | 11.8 |
| 24 | AXBT | 85306 | 2017 | 39.48 | 124.59 | 11.4 |
| 25 | AXBT | 85306 | 2021 | 39.35 | 124.51 | 12.9 |
| 26 | AXBT | 85306 | 2027 | 39.11 | 124.36 | 13.2 |
| 27 | AXBT | 85306 | 2033 | 38.50 | 124.25 | 13.4 |
| 28 | AXBT | 85306 | 2034 | 38.46 | 124.22 | 12.5 |
| 29 | AXBT | 85306 | 2041 | 38.27 | 124.12 | 13.3 |
| 30 | AXBT | 85306 | 2044 | 38.15 | 124.05 | 13.1 |
| 31 | AXBT | 85306 | 2050 | 38.03 | 124.36 | 13.9 |
| 32 | AXBT | 85306 | 2056 | 37.57 | 124.52 | 13.9 |
| 33 | AXBT | 85306 | 2057 | 37.50 | 125.09 | 14.2 |
| 34 | AXBT | 85306 | 2104 | 37.46 | 125.25 | 14.1 |
| 35 | AXBT | 85306 | 2106 | 37.38 | 125.42 | 14.5 |
| 36 | AXBT | 85306 | 2112 | 37.32 | 125.58 | 14.4 |
| 37 | AXBT | 85306 | 2118 | 37.25 | 126.21 | 15.0 |
| 38 | AXBT | 85306 | 2123 | 37.38 | 126.27 | 14.8 |
| 39 | AXBT | 85306 | 2127 | 37.51 | 126.37 | 14.9 |
| 40 | AXBT | 85306 | 2132 | 38.04 | 126.43 | 15.0 |
| 41 | AXBT | 85306 | 2134 | 38.16 | 126.51 | 15.2 |
| 42 | AXBT | 85306 | 2141 | 38.29 | 126.59 | 14.9 |
| 43 | AXBT | 85306 | 2145 | 38.43 | 127.06 | 15.0 |
| 44 | AXBT | 85306 | 2151 | 38.59 | 127.15 | 15.1 |
| 45 | AXBT | 85306 | 2154 | 39.04 | 126.58 | 15.9 |

| STN | TYPE | YR/DAY | GMT | LAT (NORTH) (DD.MM) | LONG (WEST) (DDD.MM) | SURFACE TEMP (DEG C) |
|-----|------|--------|------|---------------------------|----------------------------|----------------------------|
| 46 | AXBT | 85306 | 2201 | 39.13 | 126.39 | 14.8 |
| 47 | AXBT | 85306 | 2205 | 39.21 | 126.22 | 13.2 |
| 48 | AXBT | 85306 | 2210 | 39.26 | 126.04 | 12.6 |
| 49 | AXBT | 85306 | 2211 | 39.32 | 125.46 | 13.5 |
| 50 | AXBT | 85306 | 2219 | 39.37 | 125.30 | 13.3 |
| 51 | AXBT | 85306 | 2223 | 39.42 | 125.14 | 11.7 |
| 52 | AXBT | 85306 | 2227 | 39.30 | 125.09 | 12.9 |
| 53 | AXBT | 85306 | 2229 | 39.16 | 125.01 | 13.2 |
| 54 | AXBT | 85306 | 2235 | 39.03 | 124.53 | 13.2 |
| 55 | AXBT | 85306 | 2237 | 38.51 | 124.46 | 13.7 |
| 56 | AXBT | 85306 | 2243 | 38.37 | 124.36 | 12.6 |
| 57 | AXBT | 85306 | 2245 | 38.24 | 124.29 | 13.4 |
| 58 | AXBT | 85306 | 2252 | 38.17 | 124.46 | 14.2 |
| 59 | AXBT | 85306 | 2256 | 38.10 | 125.02 | 14.9 |
| 60 | AXBT | 85306 | 2301 | 38.04 | 125.18 | 14.5 |
| 61 | AXBT | 85306 | 2303 | 37.58 | 125.36 | 14.7 |
| 62 | AXBT | 85306 | 2319 | 37.59 | 126.19 | 15.1 |
| 63 | AXBT | 85306 | 2324 | 38.12 | 126.27 | 15.3 |
| 64 | AXBT | 85306 | 2329 | 38.20 | 126.36 | 14.4 |
| 65 | AXBT | 85306 | 2334 | 38.38 | 126.44 | 14.7 |
| 66 | AXBT | 85306 | 2336 | 39.05 | 126.17 | 13.9 |
| 67 | AXBT | 85306 | 2349 | 39.11 | 125.58 | 12.9 |
| 68 | AXBT | 85306 | 2356 | 39.17 | 125.42 | 13.9 |
| 69 | AXBT | 85307 | 5 | 39.11 | 125.17 | 13.3 |
| 70 | AXBT | 85307 | 6 | 38.56 | 125.09 | 13.5 |
| 71 | AXBT | 85307 | 14 | 38.42 | 125.00 | 14.2 |
| 72 | AXBT | 85307 | 14 | 38.31 | 124.54 | 14.6 |
| 73 | AXBT | 85307 | 22 | 38.28 | 125.12 | 14.0 |
| 74 | AXBT | 85307 | 24 | 38.25 | 125.30 | 14.7 |
| 75 | AXBT | 85307 | 31 | 38.22 | 125.47 | 14.8 |
| 76 | AXBT | 85307 | 32 | 38.18 | 126.07 | 15.0 |
| 77 | AXBT | 85307 | 41 | 38.34 | 126.09 | 14.9 |
| 78 | AXBT | 85307 | 50 | 38.47 | 125.48 | 14.6 |
| 79 | AXBT | 85307 | 52 | 38.46 | 125.30 | 14.2 |




Figure 11 (a). Temperature profiles staggered by multiples of 5C (OPTOMA18 Flight II).




Figure 11 (b).




Figure 11 (c).




Figure 11 (d).





Figure 12 (a). Along-track isotherms. Tick marks along the upper horizontal axis show station positions. Some station numbers are given. Dashed lines are used if the cast was too shallow. (OPTOMA18 Flight II).





Figure 12 (b).




Figure 12 (c).





Figure 12 (d).





Figure 12 (e).





Figure 12 (f).




Figure 13. Mean temperature profile, with + and - the standard deviations, from OPTOMIA18 Flight II.

ACKNOWLEDGEMENTS

This research was sponsored by the ONR Physical Oceanography Program. The success of the fieldwork was strongly dependent on the competent, willing support of the Patrol Wing and Navy Reserve Patrol Wing. Members of the scientific crew were Ms. Marie Colton, NEPRF, and LT John J. Rendine, USN, NPS.

REFERENCES

- Bane, J.M., and Sessions, M.H., A Field Performance Test of the Sippican Deep Aircraft-Deployed Expendable Bathythermograph, J. Geophys. Res., Vol 89, pp. 3615-3621, 1984.
- Colton, M.C., and Mooers, C.N.K., OPTOMA Program Interim Report: The Airborne Ocean Thermal Structure Mapping Project. February, 1983 through February 1985, NPS Technical Report No. NPS-68-85-008, August 1985.
- Sippican Operation and Maintenance Manual: MK9 Digital XBT/XSV System, R-1197/B, September 1983.

INITIAL DISTRIBUTION LIST

1. Naval Postgraduate School
Department of Oceanography
Monterey, CA 93943

Prof. Christopher N.K. Mooers 33
Dr. Michele M. Rienecker 1
Mr. Paul A. Wittmann 1
Dr. Mary L. Ratteen 1
Dr. Laurence C. Breaker 1
LCDR J. Edward Johnson, USN 1
Dr. James L. Mueller 1
Prof. Kenneth L. Davidson 1
Dr. Roland W. Garwood 1
Prof. Robert L. Haney 1
Prof. Dale F. Leipper 1
Prof. Robert D. Renard 1
Dr. Glenn H. Jung 1
Dr. Gordon Groves 1
LT John J. Rendine, USN 1
2. Harvard University
Division of Applied Sciences
Pierce Hall, Room 100D
Cambridge, MA 02138

Prof. Allan R. Robinson 1
Mr. Leonard J. Walstad 1
Mr. Wayne G. Leslie 1
Ms. Nadia Pinardi 1
Prof. Myron B. Fiering 1
3. Office of Naval Research (ONR)
800 N. Quincy St.
Arlington, VA 22217

Dr. Thomas W. Spence 1
Dr. Thomas B. Curtin 1
Dr. Robert Abbey 1
4. College of Oceanography
Oregon State University
Corvallis, OR 97331

Prof. Robert L. Smith 1
Dr. Adriana Huyer 1

5. Jet Propulsion Laboratory (JPL)
California Institute of Tech.
4800 Oak Grove Road
Pasadena, CA 91109

Dr. Denise E. Hagan (Code 183-501) 1
Dr. Mark Abbott (also at Scripps) 1
6. Commanding Officer
Fleet Numerical Oceanography Center (FNOC)
Monterey, CA 93943

CDR John F. Pfeiffer, USN 1
Mr. R. Michael Clancy 1
Mr. Ken Pollak 1
Ms. Evelyn Hesse 1
LTJG Diane Durban 1
7. Sandia National Laboratories
Div. 6334
Albuquerque, NM 97185

Dr. Mel Marietta 1
Dr. Eugene S. Hertel 1
Dr. Stuart L. Kupferman 1
8. Marine Products Branch, W/NMC21
National Meteorological Center
National Weather Service, NOAA
Washington, D.C. 20233

LCDR Craig S. Nelson, NOAA Corps 1
9. National Center for Atmospheric Research (NCAR)
P.O. Box 3000
Boulder, CO 80307

Dr. Dale B. Haidvogel 1
10. Scripps Institution of Oceanography
University of California, San Diego
La Jolla, CA 92093

Prof. Russ E. Davis 1
Dr. Jerome A. Smith 1
Mr. Phillip Bogden 1
11. Princeton University
Geophysical Fluid Dynamics Program
P.O. Box 308
Princeton, NJ 08540

Prof. George L. Mellor 1

12. Tulane University
Department of Mathematics
6823 St. Charles
New Orleans, LA 70118

Dr. Robert N. Miller 1
13. Woods Hole Oceanographic Institution
Department of Physical Oceanography
Woods Hole, MA 02543

Dr. Kenneth H. Brink 1
Dr. Robert C. Beardsley 1
14. Naval Ocean Research and
Development Activity (NORDA)
NSTL Station
Bay St. Louis, MS 39525

Dr. Steve A. Piacsek 1
Dr. Dana A. Thompson 1
Dr. Harley C. Hurlburt 1
Dr. Alexander Warn-Varnas 1
15. Mathematics Department
121-1984 Mathematics Road
University of British Columbia
Vancouver, British Columbia
CANADA V6T 1Y4

Prof. Lawrence A. Mysak 1
16. Department of Oceanography
University of Hawaii
2525 Correa Road
Honolulu, HI 96822

Prof. Lorenz Magaard 1
17. Ocean Circulation Division
Atlantic Oceanography Laboratory
Bedford Institute of Oceanography
Dartmouth, N.S. Box 1006
CANADA B2Y 4A2

Dr. Motoyoshi Ikeda 1
18. Precision Marine
Météorologie Nationale
2 Ave. RAPP
75340 Paris CEDEX 07
France

Dr. Jacques Saurel 1

19. Div. of Oceanography
RSMAS
University of Miami
4600 Rickenbacker Causeway
Miami, FL 33149

Dr. Otis Brown 1
20. Applied Physics Laboratory
University of Washington
1013 NE 40th Str.
Seattle, WA 98105

Dr. Thomas B. Sanford 1
21. School of Oceanography
University of Washington
Seattle, WA 98195

Dr. Steven C. Riser 1
22. California Space Institute
MS-A021
Scripps Institution of Oceanography
La Jolla, CA 92093

Dr. Robert L. Bernstein 1
23. Marine Sciences Research Center
State University of New York
Stony Brook, NY 11794

Dr. Dong-Ping Wang 1
24. Applied Physics Laboratory
Johns Hopkins University
Laurel, MD 20707

Dr. Jack Calman 1
25. Pacific Marine Environmental Lab
NOAA
Bldg. 3
7600 Sand Point Way, NE
Seattle, WA 98115

Mr. James R. Holbrook 1
26. Naval Environmental Prediction
Research Facility (NEPRF)

Ms. Marie Colton 1
Mr. Robert Fett 1

- | | | |
|-----|--|---|
| 27. | Graduate School of Oceanography University of Rhode Island Kingston, RI 02881 | 1 |
| | Dr. Everett F. Carter | 1 |
| 28. | Dept. of Meteorology University of Maryland College Park, MD 20792 | 1 |
| | Dr. James A. Carton | |
| 29. | Coastal Studies Institute Louisiana State University Baton Rouge, LA 70803-7527 | |
| | Prof. S. A. Hsu | 1 |
| | Mr. Robert Sylvia | 1 |
| 30. | Defense Technical Information Center Cameron Station Alexandria, VA 22314 | 2 |
| 31. | Dudley Knox Library Code 0142 Naval Postgraduate School Monterey, CA 93943 | 2 |
| 32. | Research Administration (Code 012) Naval Postgraduate School Monterey, CA 93943 | 1 |

END

FILMED

2-86

DTIC